In the Claims:

- 1. (Original) A method for the treatment of a surface comprising the sequential application to the surface of a hydrogel-precursor component and a crosslinking component in either order to form a removable hydrogel patch on said surface, and the removal of the patch once the removable hydrogel patch has formed or substantially formed thereon.
- (Original) A method as claimed in claim 1 wherein the surface is a soft surface.
- 3. (Original) A method as claimed in claim 2 wherein the soft surface is selected from the list consisting of textiles, clothing, carpets, curtains, and upholstery.
- (Original) A method as claimed in claim 1 wherein the surface is a hard surface.
- 5. (Currently Amended) A method as claimed in any preceding claim 1 wherein the removal is achieved by peeling said patch from the surface.
- 6. (Currently Amended) A method as claimed in any of claims 1 to 3 claim 1 wherein the removal is via a washing process.
- 7. (Currently Amended) A method according to any preceding claim <u>1</u> wherein the crosslinking component is applied to the surface prior to the application of the hydrogel-precursor component.
- 8. (Original) A method according to claim 7 wherein a second application of the crosslinking component is made after the application of the hydrogel-precursor component.
- 9. (Currently Amended) A method as claimed in any preceding claim <u>1</u> wherein the crosslinking component comprises M²⁺ ions, where M is a Group IIA element or any other metallic

element capable of exhibiting a +2 oxidation state, and the hydrogel-precursor component comprises an alginate.

- 10. (Original) A method as claimed in claim 9 wherein the M²⁺ ions are Ca²⁺ ions.
- 11. (Currently Amended) A method as claimed in claim 9 or 10 wherein the alginate is a sodium alginate.
- 12. (Currently Amended) A method as claimed in any of claims 1 to 11 claim 1 wherein said hydrogel-precursor is present in the range 0.25 to 5 wt% of the weight of the component containing said hydrogel-precursor.
- 13. (Currently Amended) A method according to any one of claims 9 to 12 claim 9 wherein the M²⁺ ions are present as 0.03 to 5% by weight of the crosslinking component.
- 14. (Currently Amended) A method as claimed in any preceding claim <u>1</u> wherein at least one of the crosslinking or hydrogel-precursor components further comprises one or more of the following: a bleach, an enzyme and a surfactant.
- 15. (Cancelled).
- 16. (Currently Amended) A kit comprising a hydrogel-precursor-containing component, and a crosslinking component, both as-defined in any of claims 1 to 14 as claimed in claim 1.
- 17. (Cancelled).
- 18. (Currently Amended) An applicator means comprising a plurality of separate compartments and wherein each compartment contains at least either a hydrogel-precursor component, or a crosslinking component, both as defined in any of claims 1 to 14 as claimed in

U.S. Serial No. 35 USC 371 of PCT/GB2005/000428 Page 5 of 6

<u>claim 1</u>, such that said components are kept apart as and until the components are sequentially applied to a surface to form a removable hydrogel patch.